






Pump Pompa	Pressure Pressione		Volume Portata				RPM giri/min		Power Potenza			
	bar	PSI	l/min		GPM		50 Hz	60 Hz	HP		kW	
			50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz	50 Hz	60 Hz
XLT3020IS	200	2900	30	36	7.9	9.5	1000	1200	15.6	18.7	11.5	13.8
XLT3816IS	160	2320	38	46	10	12	1000	1200	15.9	19.0	11.7	14.0
XLT1830I	300	4350	18	22	4.8	5.8	1450	1740	13.7	16.4	10.1	12.1
XLT2230I	300	4350	22	26	5.8	7	1450	1740	16.6	19.9	12.2	14.6
XLT2520I	200	2900	25	30	6.6	7.9	1450	1740	12.8	15.4	9.4	11.3
XLT2530I	300	4350	25	30	6.6	7.9	1450	1740	19.2	23.0	14.1	16.2
XLT2730I	300	4350	27	32	7.1	8.5	1450	1740	20.5	24.6	15.1	18.1
XLT3020I	200	2900	30	36	7.9	9.5	1450	1740	15.5	18.6	11.4	13.7
XLT3025I	250	3625	30	36	7.9	9.5	1450	1740	19.3	23.2	14.2	17.0
XLT3325I	250	3625	33	40	8.7	10.4	1450	1740	21.4	25.7	15.7	18.8
XLT3517I	170	2465	35	42	9.2	11	1450	1740	15.2	18.2	11.2	13.4
XLT4014I	140	2030	40	48	10.6	12.7	1450	1740	14.0	16.8	10.3	12.4
XLT4017I	170	2465	40	48	10.6	12.7	1450	1740	17.0	20.4	12.5	15.0
XLT4317I	170	2465	43	52	11.4	13.7	1450	1740	19.1	22.9	14.1	16.9
XLT5015I	150	2175	50	60	13.2	15.8	1450	1740	18.8	22.6	13.8	16.6
XLT5415I	150	2175	54	65	14.3	17.2	1450	1740	21.2	25.4	15.6	18.7

Dimensioni d'ingombro

Overall dimensions





XLT3020IS
XLT3816IS
XLT1830I
XLT2230I
XLT2530I
XLT2520I
XLT2730I
XLT3025I
XLT3020I
XLT3325I
XLT3517I
XLT4017I
XLT4014I
XLT4317I
XLT5015I
XLT5415I

HAWK
Pompe XLT I serie 2011
XLT I pumps 2011 series

SPARE PARTS KIT

XLT 2011

Item	Part Number & Description	Q.ty Pump	XLT3020IS	XLT3816IS	XLT1830I	XLT2230I	XLT2530I	XLT2520I	XLT2730I	XLT3025I	XLT3020I	XLT3325I	XLT3517I	XLT4017I	XLT4014I	XLT4317I	XLT5015I	XLT5415I
3- 5- 7	2601.26 Plunger Seals 20 mm	1			◆	◆	◆	◆	◆									
	2601.25 Plunger Seals 22 mm	1								◆	◆	◆						
	2601.13 Plunger Seals 25 mm	1	◆										◆	◆	◆	◆		
	2601.15 Plunger Seals 28 mm	1		◆													◆	◆
3- 4- 5- 6- 7	2601.28 Complete seal Packing 20 mm	3			◆	◆	◆	◆	◆									
	2601.27 Complete seal Packing 22 mm	3								◆	◆	◆						
	2601.14 Complete seal Packing 25 mm	3	◆										◆	◆	◆	◆		
	2601.16 Complete seal Packing 28 mm	3		◆													◆	◆
34- 35- 36- 37	2601.30 Plunger 20 mm	3			◆	◆	◆	◆	◆									
	2601.29 Plunger 22 mm	3								◆	◆	◆						
	2601.17 Plunger 25 mm	3	◆										◆	◆	◆	◆		
	2601.18 Plunger 28 mm	3		◆													◆	◆
11- 12- 13	2600.10 Complete Valve	6	◆	◆									◆	◆	◆	◆	◆	◆
	2601.31 Complete Valve	6			◆	◆	◆	◆	◆	◆	◆	◆						
2	2600.03 Plunger oil Seal	1	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
3- 4- 5- 6- 7- 8 9- 10- 11- 12 13- 14- 15- 16 17- 18	2601.33 Complete Manifold 20 mm	1			◆	◆	◆	◆	◆									
	2601.32 Complete Manifold 22 mm	1								◆	◆	◆						
	2601.19 Complete Manifold 25 mm	1	◆										◆	◆	◆	◆		
	2601.20 Complete Manifold 28 mm	1		◆													◆	◆
38- 39- 40- 41- 42	3100.41 Connectin Rod-Plunger Rod Assy	3	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

PARTS LIST

XLT 2011

Item	Part Number	Description	Q.ty/Pu mp	XLT3020IS	XLT3816IS	XLT1830I	XLT2230I	XLT2530I	XLT2520I	XLT2730I	XLT3025I	XLT3020I	XLT3325I	XLT3517I	XLT4017I	XLT4014I	XLT4317I	XLT5015I	XLT5415I
*1	0202.97	Crankcase	1																
*2	0001.01	Plunger oil seal	3	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
*3	0601.08	"O" Ring Ø1.78x37.82	3																
*4	1201.57	Pressure ring 20 mm	3			◆	◆	◆	◆	◆									
	1201.59	Pressure ring 22 mm	3								◆	◆	◆						
	1201.58	Pressure ring 25 mm	3	◆										◆	◆	◆	◆		
	1201.56	Pressure ring 28 mm	3		◆													◆	◆
*5	0002.52	"U" seal, dia.20 mm	3			◆	◆	◆	◆	◆									
	0002.53	"U" seal, dia.22 mm	3								◆	◆	◆						
	0002.57	"U" seal, dia.25 mm	3	◆										◆	◆	◆	◆		
	0002.69	"U" seal, dia.28 mm	3		◆													◆	◆
*6	0300.76	Intermed. ring 20mm	3			◆	◆	◆	◆	◆									
	0300.78	Intermed. ring 22mm	3								◆	◆	◆						
	0300.77	Intermed. ring 25mm	3	◆										◆	◆	◆	◆		
	0300.75	Intermed. ring 28mm	3		◆													◆	◆
*7	0002.61	"U" seal, dia.20 mm	3			◆	◆	◆	◆	◆									
	0002.62	"U" seal, dia.22 mm	3								◆	◆	◆						
	0002.72	"U" seal, dia.25 mm	3	◆										◆	◆	◆	◆		
	0002.65	"U" seal, dia.28 mm	3		◆													◆	◆
*8	1601.33	Brass plug G3/4	1	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
*9	0603.11	Copper washer 3/4	1																
*10	1602.39	Manifold housing Ø28/Ø25	1	◆	◆									◆	◆	◆	◆	◆	◆
	1602.40	Manifold housing Ø22/Ø20	1			◆	◆	◆	◆	◆	◆	◆	◆						
*11	0601.66	"O" Ring Ø2.62x25.7	6	◆	◆									◆	◆	◆	◆	◆	◆
	0601.18	"O" Ring Ø2,62x21,89	6			◆	◆	◆	◆	◆	◆	◆	◆						
*12	3604.50	Valve assembly	6	◆	◆									◆	◆	◆	◆	◆	◆
	3604.76	Valve assembly	6			◆	◆	◆	◆	◆	◆	◆	◆						
*13	0601.67	"O" Ring Ø3.53x26.58	6	◆	◆									◆	◆	◆	◆	◆	◆
	0601.87	"O" Ring Ø3,53x25,80-134	6			◆	◆	◆	◆	◆	◆	◆	◆						
*14	1601.31	Valve plug	6	◆	◆									◆	◆	◆	◆	◆	◆
	1601.74	Valve plug	6			◆	◆	◆	◆	◆	◆	◆	◆						
*15	1801.40	Manifold stud bolt	8																
*16	1403.01	Lock-Washer	8	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
*17	0603.07	Copper washer 1/2	1																
*18	1601.20	Brass plug 1/2	1																
19	1503.19	Valve seat	6	◆	◆									◆	◆	◆	◆	◆	◆
	1503.40	Valve seat	6			◆	◆	◆	◆	◆	◆	◆	◆						
20	1202.08	Valve plate	6																
21	0900.32	Valve spring	6																
22	0604.06	Valve cage	6																
23	1802.05	Hexagonal screw	8	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
24	1400.01	Washer	8																
25	0500.54	Closed bearing housing	1																
26	0601.00	"O" Ring Ø2.62x71.12	2																
27	0200.04	Roller bearing	2																
28	0006.39	Crankshaft Ø24	1			◆													
	0006.37	Crankshaft Ø24	1				◆							◆					
	0006.38	Crankshaft Ø24	1					◆	◆		◆	◆			◆	◆		◆	
	0006.36	Crankshaft Ø24	1	◆	◆					◆			◆				◆		◆

PARTS LIST

XLT 2011

Item	Part Number	Description	Q.ty/Pu mp	XLT3020IS	XLT3816IS	XLT1830I	XLT2230I	XLT2530I	XLT2520I	XLT2730I	XLT3025I	XLT3020I	XLT3325I	XLT3517I	XLT4017I	XLT4014I	XLT4317I	XLT5015I	XLT5415I
29	0206.05	Crankshaft key	1																
30	1600.16	Oil dip stick	1																
31	0001.00	Crankshaft seal	1																
32	0301.00	Shim	1	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
33	0500.38	Bearing housing	1																
*34	1802.23	Plunger bolt	3																
*35	1408.13	Bonded seal	3																
*36	1200.32	Plunger 20 mm	3			◆	◆	◆	◆	◆									
	1200.34	Plunger 22 mm	3								◆	◆	◆						
	1200.33	Plunger 25 mm	3	◆										◆	◆	◆	◆		
	1200.30	Plunger 28 mm	3		◆													◆	◆
*37	1400.57	Copper spacer	3																
*38	0003.32	Plunger rod	3																
*39	1502.07	Connecting rod pin	3																
*40	0100.10	Connecting rod	3																
*41	1401.03	Spring washer	6																
42	1801.01	Connecting rod screw	6	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
43	0601.85	"O" Ring Ø2,62x152,07	1																
44	0203.60	Crankcase cover	1																
45	0601.14	"O" Ring Ø1,78x14,00	1																
46	1601.17	Brass plug 3/8	1																
47	0700.05	Sight glass, G3/4	1																
48	1801.41	Cover screw	5																

☐ ☐ Part available
in kit only

☐ * ☐ Part available
in kit also

Posizioni	Codice e Descrizione	Q.tà Pompa	XLT3020IS	XLT3816IS	XLT1830I	XLT2230I	XLT2530I	XLT2520I	XLT2730I	XLT3025I	XLT3020I	XLT3325I	XLT3517I	XLT4017I	XLT4014I	XLT4317I	XLT5015I	XLT5415I
3- 5- 7	2601.26 Guarnizioni pistone Ø20	1			◆	◆	◆	◆	◆									
	2601.25 Guarnizioni pistone Ø22	1								◆	◆	◆						
	2601.13 Guarnizioni pistone Ø25	1	◆										◆	◆	◆	◆		
	2601.15 Guarnizioni pistone Ø28	1		◆													◆	◆
3- 4- 5- 6- 7	2601.28 Pacco completo Guarnizioni pistone Ø20	3			◆	◆	◆	◆	◆									
	2601.27 Pacco completo Guarnizioni pistone Ø22	3								◆	◆	◆						
	2601.14 Pacco completo Guarnizioni pistone Ø25	3	◆										◆	◆	◆	◆		
	2601.16 Pacco completo Guarnizioni pistone Ø28	3		◆													◆	◆
34- 35- 36- 37	2601.30 Pistone Ø20	3			◆	◆	◆	◆	◆									
	2601.29 Pistone Ø22	3								◆	◆	◆						
	2601.17 Pistone Ø25	3	◆										◆	◆	◆	◆		
	2601.18 Pistone Ø28	3		◆													◆	◆
11- 12- 13	2600.10 Valvola completa	6	◆	◆									◆	◆	◆	◆	◆	◆
	2601.31 Valvola completa	6			◆	◆	◆	◆	◆	◆	◆	◆						
2	2600.03 Anelli tenuta olio Asta	1	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
3- 4- 5- 6- 7- 8 9- 10- 11- 12 13- 14- 15- 16 17- 18	2601.33 Testata Completa Ø20	1			◆	◆	◆	◆	◆									
	2601.32 Testata Completa Ø22	1								◆	◆	◆						
	2601.19 Testata Completa Ø25	1	◆										◆	◆	◆	◆		
	2601.20 Testata Completa Ø28	1		◆													◆	◆
38- 39- 40- 41- 42	3100.41 Premontato asta-biella	3	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

Pos.	Codice	Descrizione	Q.tà/Po mpa	XLT3020IS	XLT3816IS	XLT1830I	XLT2230I	XLT2530I	XLT2520I	XLT2730I	XLT3025I	XLT3020I	XLT3325I	XLT3517I	XLT4017I	XLT4014I	XLT4317I	XLT5015I	XLT5415I
*1	0202.97	Carter	1																
*2	0001.01	Anello radiale	3	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
*3	0601.08	"O" Ring Ø1.78x37.82	3																
*4	1201.57	Pressore Ø20	3			◆	◆	◆	◆	◆									
	1201.59	Pressore Ø22	3								◆	◆	◆						
	1201.58	Pressore Ø25	3	◆										◆	◆	◆	◆		
	1201.56	Pressore Ø28	3		◆													◆	◆
*5	0002.52	Anello tenuta "U" Ø20	3			◆	◆	◆	◆	◆									
	0002.53	Anello tenuta "U" Ø22	3								◆	◆	◆						
	0002.57	Anello tenuta "U" Ø25	3	◆										◆	◆	◆	◆		
	0002.69	Anello tenuta "U" Ø28	3		◆													◆	◆
*6	0300.76	Diffusore interm. Ø20	3			◆	◆	◆	◆	◆									
	0300.78	Diffusore interm. Ø22	3								◆	◆	◆						
	0300.77	Diffusore interm. Ø25	3	◆										◆	◆	◆	◆		
	0300.75	Diffusore interm. Ø28	3		◆													◆	◆
*7	0002.61	Anello tenuta "U" Ø25	3			◆	◆	◆	◆	◆									
	0002.62	Anello tenuta "U" Ø25	3								◆	◆	◆						
	0002.72	Anello tenuta "U" Ø25	3	◆										◆	◆	◆	◆		
	0002.65	Anello tenuta "U" Ø28	3		◆													◆	◆
*8	1601.33	Tappo G3/4	1	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
*9	0603.11	Guarnizione rame G3/4	1																
*10	1602.39	Testata Ø28/Ø25	1	◆	◆									◆	◆	◆	◆	◆	◆
	1602.40	Testata Ø22/Ø20	1			◆	◆	◆	◆	◆	◆	◆	◆						
*11	0601.66	"O" Ring Ø2,62x25,07	6	◆	◆									◆	◆	◆	◆	◆	◆
	0601.18	"O" Ring Ø2,62x21,89	6			◆	◆	◆	◆	◆	◆	◆	◆						
*12	3604.50	Valvola premontata	6	◆	◆									◆	◆	◆	◆	◆	◆
	3604.76	Valvola premontata	6			◆	◆	◆	◆	◆	◆	◆	◆						
*13	0601.67	"O" Ring Ø3,53x26,58	6	◆	◆									◆	◆	◆	◆	◆	◆
	0601.87	"O" Ring Ø3,53x25,80	6			◆	◆	◆	◆	◆	◆	◆	◆						
*14	1601.31	Tappo valvola	6	◆	◆									◆	◆	◆	◆	◆	◆
	1601.74	Tappo valvola	6			◆	◆	◆	◆	◆	◆	◆	◆						
*15	1801.40	Vite M10x80	8																
*16	1403.01	Rosetta elastica Ø10,2	8	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
*17	0603.07	Guarnizione rame G1/2	1																
*18	1601.20	Tappo G1/2	1																
19	1503.19	Sede valvola	6	◆	◆									◆	◆	◆	◆	◆	◆
	1503.40	Sede valvola	6			◆	◆	◆	◆	◆	◆	◆	◆						
20	1202.08	Piattello valvola	6																
21	0900.32	Molla valvola	6																
22	0604.06	Gabbia valvola	6																
23	1802.05	Vite M8x20	8	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
24	1400.01	Rosetta Ø8.5	8																
25	0500.54	Flangia chiusa	1																
26	0601.00	"O" Ring Ø2.62x71.12	2																
27	0200.04	Cuscinetto a rulli	2																
28	0006.39	Albero eccentrico Ø24	1			◆													
	0006.37	Albero eccentrico Ø24	1				◆							◆					
	0006.38	Albero eccentrico Ø24	1					◆	◆		◆	◆			◆	◆		◆	
	0006.36	Albero eccentrico Ø24	1	◆	◆					◆			◆				◆		◆

Pos.	Codice	Descrizione	Q.tà/Po mpa	XLT3020IS	XLT3816IS	XLT1830I	XLT2230I	XLT2530I	XLT2520I	XLT2730I	XLT3025I	XLT3020I	XLT3325I	XLT3517I	XLT4017I	XLT4014I	XLT4317I	XLT5015I	XLT5415I
29	0206.05	Chiavetta	1																
30	1600.16	Tappo livello olio	1																
31	0001.00	Anello radiale	1																
32	0301.00	Distanziale	1	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
33	0500.38	Flangia aperta	1																
*34	1802.23	Vite pistone	3																
*35	1408.13	Bonded Seal	3																
*36	1200.32	Pistone Ø20	3			◆	◆	◆	◆	◆									
	1200.34	Pistone Ø25	3								◆	◆	◆						
	1200.33	Pistone Ø25	3	◆										◆	◆	◆	◆		
	1200.30	Pistone Ø28	3		◆													◆	◆
*37	1400.57	Rosetta rame	3																
*38	0003.32	Asta pistone	3																
*39	1502.07	Spinotto	3																
*40	0100.10	Biella completa	3																
*41	1401.03	Rosetta elastica Ø8	6																
42	1801.01	Vite M8x35	6	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆
43	0601.85	"O" Ring Ø2,62x152,07	1																
44	0203.60	Coperchio	1																
45	0601.14	"O" Ring Ø1,78x14,00	1																
46	1601.17	Tappo G3/8	1																
47	0700.05	Spia livello olio G3/4	1																
48	1801.41	Vite M6x20	5																

  Particolare disponibile
solo in kit

  Particolare disponibile
anche in kit